

OFFICE OF THE
BILASIPARA MUNICIPAL BOARD
BILASIPARA

No. BMB.378/2023/1019

Date - 16/11/2023

CORRIGENDUM

Ref - Tender No. BMB.378/2023/959 Dated - 31/10/2023

It is for general information that as requested by the interested bidders in the Pre-Bid meeting held on 14/11/2023 for providing some more information in respect of this office NIT No. BMB.378/2023/959 Dated - 31/10/2023, the undersigned is pleased to provide information as sought for which are mentioned below. The Item-wise rate shown below is as per CPWD (DSR) Schedule of Rates 2021.

| Sl. No. | Item Description | Item Code / Make | Quantity | Units | BASIC RATE with all taxes Rs. P | TOTAL AMOUNT With Taxes in Rs. P |
|---------|--|------------------|----------|-------|------------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 1 | Construction of Shed for Composting plant and MRF (16.00m x 26.00m) | | | | | |
| 1.01 | Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil | item1 | 35.28 | Cum | 205.45 | 7248.28 |
| 1.02 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. | item2 | 25.63 | Cum | 253.95 | 6508.74 |
| 1.03 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) | item3 | 6.92 | Cum | 6833.40 | 47287.13 |
| 1.04 | Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete | item4 | 38.40 | Sqm | 307.95 | 11825.28 |
| 1.05 | Lintels, beams, plinth beams, girders, bressumers and cantilevers | item5 | 144.74 | Sqm | 608.35 | 88052.58 |
| 1.06 | Columns, Pillars, Piers, Abutments, Posts and Struts | item6 | 5.76 | Sqm | 307.95 | 1773.79 |
| 1.07 | Suspended floors, roofs, landings, balconies and access platform | item7 | 25.68 | Sqm | 766.55 | 19685.00 |
| 1.08 | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size de rived from natural sources) | item8 | 28.59 | Cum | 7945.65 | 227166.13 |

| | | | | | | |
|------|--|--------|---------|-----|----------|------------|
| 1.09 | Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) | item9 | 0.58 | Cum | 10185.05 | 5907.33 |
| 1.10 | Providing and laying in position ready mixed or site batched design mixcement concrete for reinforced cement concrete work; using coarseaggregate and fine aggregate derived from natural sources, PortlandPozzolana / Ordinary Portland /Portland Slag cement, admixtures inrecommended proportions as per IS: 9103 to accelerate / retard settingof concrete, to improve durability and workability without impairingstrength; including pumping of concrete to site of laying, curing, carriagefor all leads; but excluding the cost of centering, shuttering, finishingand reinforcement as per direction of the engineer-in-charge; for thefollowing grades of concrete. Concrete of M30 grade with minimum cementcontent of 350 kg /cum | item10 | 124.80 | Cum | 8599.35 | 1073198.88 |
| 1.11 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more | item11 | 1290.68 | kg | 89.65 | 115709.46 |
| 1.12 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more. | item12 | 6488.39 | kg | 89.65 | 581684.16 |
| 1.13 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand) | item13 | 5.52 | Cum | 8512.10 | 46986.79 |
| 1.14 | Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub | item14 | 406.39 | Sqm | 180.50 | 73353.40 |
| 1.15 | Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. | item15 | 121.92 | Cum | 2161.20 | 263493.50 |

| | | | | | | |
|------|--|--------|---------|-----|---------|------------|
| 1.16 | Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thick with zinc coating not less than 275 gm/ m ² | item16 | 820.64 | Sqm | 978.00 | 802585.92 |
| 1.17 | Providing ridges or hips of width 60 cm overall width plain G.S. sheet fixed with polymer coated J or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete. 0.63 mm thick with zinc coating not less than 275 gm/m ² | item17 | 27.20 | m | 750.85 | 20423.12 |
| 1.18 | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (200x200x5 mm SHS) | item18 | 2562.00 | kg | 78.20 | 200348.40 |
| 1.19 | Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Electric resistance or induction butt welded tubes | item19 | 8015.91 | kg | 140.85 | 1129040.92 |
| 2 | Construction of Tipping Floor (10.00m x 20.00m) | | | | | |
| 2.01 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) | item20 | 40.00 | cum | 6833.40 | 273336.00 |
| 2.02 | Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform | item21 | 12.32 | sqm | 766.55 | 9443.90 |
| 3 | Construction of Windrow Pad (20.00m x 20.00m) | | | | | |
| 3.01 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) | item22 | 80.00 | cum | 6833.40 | 546672.00 |


| | | | | | | |
|-------------------------|--|--------|--------|-------------|------------|--------------------|
| 3.02 | Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform | item23 | 16.32 | sqm | 766.55 | 12510.10 |
| 4 | Separation room/chamber (15.00m X 4.00m) | | | | | |
| 4.01 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) | item24 | 0.03 | cum | 6050.65 | 181.52 |
| 4.02 | Galvanised wire mesh of average width of aperture 1.4 mm and nominal dia of wire 0.63 mm | item25 | 55.32 | sqm | 250.00 | 13830.00 |
| 4.03 | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | item26 | 220.55 | kg | 78.20 | 17247.01 |
| 4.04 | GI sheet 0.8 mm thick conforming to IS 277:1992 for bottom | item27 | 375.61 | kg | 90.00 | 33804.90 |
| 4.05 | Mild steel plates 2mm thick for front open lid | item28 | 0.28 | kg | 5400.00 | 1512.00 |
| 4.06 | Welding by gas or electric plant including transportation of plant at site etc. complete. | item29 | 712.08 | cm | 3.40 | 2421.07 |
| 4.07 | Providing and fixing IS : 12817 marked stainless steel butt hinges with stainless steel screws etc. complete 50x37x1.50 mm | item30 | 10.00 | Each | 36.00 | 360.00 |
| 4.08 | Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 100x10 mm | item31 | 5.00 | Each | 39.10 | 195.50 |
| 5 | Supply, installation & Commissioning of following machines/equipments - | | | | | |
| 5.01 | Conveyor Belt cum Sorting Table 10m x 1m | item32 | 1.00 | Nos. | 1242000.00 | 1242000.00 |
| 5.02 | Feed Conveyor Belt For material transportation to Windrow 5m x 1.2m | item33 | 1.00 | Nos. | 711000.00 | 711000.00 |
| 5.03 | Conveyor Belt For stabilized waste material transportation to 35mm Trommel 7m x 1.2m | item34 | 1.00 | Nos. | 770000.00 | 770000.00 |
| 5.04 | Shredder cum Chopper 700 Kg per hr capacity. | item35 | 1.00 | Nos. | 726880.00 | 726880.00 |
| 5.05 | Trommel 35mm, 16mm, 6mm 5m x Dia. - 2m | item36 | 1.00 | Nos. | 3130000.00 | 3130000.00 |
| 5.06 | Hydraulic Bailing Press Machine 50Tons Capacity | item37 | 1.00 | Nos. | 1033000.00 | 1033000.00 |
| 6 | Miscellaneous | item38 | 1.00 | Nos. | 70158.87 | 70158.87 |
| 7 | Annual Maintenance Cost (AMC) | | | | | |
| 7.01 | AMC for the Period of (5) years for the supplied technologies, machineries, tools & equipment. | item39 | 1.00 | Annual Cost | 40000.00 | |
| 8 | Operation and Maintenance (O&M) | | | | | |
| 8.01 | O & M for the Period of (5) years for the entire project | item40 | 1.00 | Annual Cost | 550000.00 | |
| Total in Figures | | | | | | 13316831.68 |

Amount in Words

Rupees One Crore Thirty Three Lakhs Sixteen Thousand Eight Hundred Thirty One and Sixty Eight paise only.

Note:

1. Bidders are restricted to quote more than the base amount.
 2. Bidders to quote the prices inclusive of all Taxes (GST, IT, Labour Cess, FR, etc.), Transportation, Erection, Technology, Civil and other costs.
 3. The technologies & machineries capacity as detailed and desired in the BOQ, above must meet the same along with tentative specs, annexed as in the RFP document.
 4. Initially, the work order to the successful bidder will be issued for Sl. No. 1 to Sl. No. 6
 5. Work Order for the Sl. No. 7 and Sl. No. 8 will be issued separately to the successful bidders, subject to availability of fund with Bilasipara Municipal Board
- Other Terms & Conditions will remain as same as mentioned in the RFP Document.




Executive Officer
Bilasipara Municipal Board
Date - 16/11/2023

Memo No.BMB.378/2023/1019 - A

Copy to :

- 1) The Mission Director, Swachh Bharat Mission (Urban), Assam, Dispur, Guwahati – 06 for favour of kind information.
- 2) The District Commissioner, Dhubri for favour of kind information.
- 3) The Sub – Divisional Officer (Civil), Bilasipara for favour of kind information.
- 4) The Chairperson, Bilasipara Municipal Board for kind information.
- 5) The Vice – Chairman, Bilasipara Municipal Board for kind information.
- 6) All the members of Special Tender Committee for SWM and LWM under Bilasipara MB for information.
- 7) All the Ward Commissioners of Bilasipara Municipal Board for information.



Executive Officer
Bilasipara Municipal Board